

D2000 Series: Muldipol Military Antennas

VHF Models

Description

Our Muldipol line of VHF & UHF dipole antennas have been specifically developed for air traffic control, ground-to-air, ground-air-ground, and naval applications.

TACO Antenna's multiple output antenna design offers the operation of up to three stacked dipoles operating simultaneously within one radome.

Reliable


- Rugged lightweight construction
- Transportable and compact
- Long-term life cycle results in cost savings
- 3 year warranty

Reduce Footprint




- Multiple outputs
- Combination of VHF frequencies
- High isolation between antenna elements

Proven Performance

- Used by NATO military forces/defence contractors around the world
- MIL-STD-810F
- Reduced installation time/cost for permanent installations



Model D2212 Electrical Test Results



TACO Antenna's ongoing policy of continuing development may result in specification changes to its products.

TELEPHONE

United States: 866.975.4433
 Canada: 519.756.7157
 Europe: (+44)07765.583491
 All Other Regions: 717.975.0885

TACO ANTENNA

(A division of Wade Antenna, Inc.)
 29 Sharp Road, Brantford, Ontario
 Canada N3T 5L8
www.tacoantenna.com

EMAIL

United States: sales@tacoantenna.com
 Canada: cansales@tacoantenna.com
 Europe: jbarton@tacoantenna.com
 All Other Regions: sales@tacoantenna.com

SPEC0030_B01

SPECIFICATIONS

Environmental

- Tested to MIL-STD810F
- Operational Temp -40° to 70°C (-40° to 158°F)

Electrical

- Polarization Vertical
- Omni Directionality within 1 dB
- VSWR (max.) 2:1
- Connector Type "N" Female
- Impedance 50 Ohms
- Applied Power 350 W Continuous
- Vertical Beam Deviation $\pm 10^\circ$ (horizon)

MODEL	NUMBER OF CONNECTORS				GAIN (dBi)	ISOLATION MIN (dB)	HPBW (°)	CLAMP ID (IN)	LENGTH (IN/CM) T-TOTAL U-UPPER L-LOWER	WEIGHT (LBS/KG)	SECTIONAL	NSN
	FREQUENCY (MHz)											
	108-174	116-150	118-136	150-174								
D2212		2			2.0	30	75	3	152.5/387.4	12.5/5.7	-	5985-01-315-7443
D2212A				2	2.0	30	75	3	121.4/308.4	12.5/5.7	-	-
D2216		1			2.0	-	75	1.5-3	54.5/138.4	5.5/2.5	-	5985-01-050-7522
D2260			3		2.0	27	75	3	T-196.5/499.1 U-140.0/355.6 L-56.5/143.5	25.0/11.3	2 PIECE	5985-01-438-1459
D2260-A				3	2.0	27	75	3	T-193.5/491.5 U-131.0/332.7 L-62.5/158.8	25.0/11.3	2 PIECE	-
D2268	1				5.5	-	25	3	200.0/508.0	23.3/10.6	-	-

TACO Antenna can also offer UHF and combined VHF/UHF multiple antenna combinations / options.

Please contact us for further details.

Australian Distributor



CONTROL SYNERGY Pty Ltd

Unit 3, 1 Pippita Close, Beresfield, NSW 2302

Tel: 02 4966 5211 Fax: 02 4966 4522

Email: info@controlsynergy.com.au

Web Site: www.controlsynergy.com.au

TACO Antenna's ongoing policy of continuing development may result in specification changes to its products.

TELEPHONE

United States: 866.975.4433

Canada: 519.756.7157

Europe: (+44)07765.583491

All Other Regions: 717.975.0885

TACO ANTENNA

(A division of Wade Antenna, Inc.)

29 Sharp Road, Brantford, Ontario

Canada N3T 5L8

www.tacoantenna.com

EMAIL

United States: sales@tacoantenna.com

Canada: cansales@tacoantenna.com

Europe: jbarton@tacoantenna.com

All Other Regions: sales@tacoantenna.com

SPEC0030_B02